



EnjoyWARM.



PRODUCT CATALOGUE

Far Infrared Carbon Crystal Heating Panel
www.enjoywarmheater.com

Company
Introduction

Enjoywarm Enjoylife

ENJOYWARM Technology Co.,Ltd is a professional manufacturer of high standard far infrared carbon crystal heating panels.


With international advanced machines and technology, we have a wide assembly line covering far infrared carbon crystal wall heaters, underfloor heaters, folding screen heaters, bathroom heaters, physical therapy series, etc. Moreover, we also focus on research and development, OEM production terminal installation.

ENJOYWARM Technology Co.,Ltd

carrying ISO 9001:2000, CE , ROHS certified sure that you are enjoying a safe and ECO friendly product.

As a leading company of far infrared carbon crystal heating industry in China, our panels are shipped worldwide.

Check : www.enjoywarmheater.com



IC Series



3mm insulation layer.
 Pet or Aluminum surface.
 With hang bracket, easy to install.
 1.5mm thick aluminum back plate.
 Thickness for the complete panel is 2.2cm.
 wall mounted ,or ceiling mounted or
 free standing.

Frames  white  black  silver

Technical Data

Working Voltage: 220 -240volts, 50 Hz

Life span: 100000H

Front Surface Temperature: 90-110℃

Energy Transfer Ratio: 98%




Cable: 3M with VDE certificate

Materials: White carbon crystal heating film

Protection : Inner temperature control device protects again over heating

Package: Individual PP bag + Individual inner box+ Protection foam+ Carton
 or pallet

check
www.enjoywarmheater.com
 for MORE!



wall mounted ,
 or ceiling mounted or
 free standing.



Regular size

※ Customized size accepted

335*605mm
 200W
 (±10%)

335*1005mm
 330W
 (±10%)

595*595mm
 360W
 (±10%)

595*1005mm
 600W
 (±10%)

595*1195mm
 720W
 (±10%)

805*1195mm
 960W
 (±10%)

1005*1195mm
 1200W
 (±10%)

SF Series



White or Customized image
1.5mm thick steel back plate.
Thickness for the complete panel is 2.2cm.
Can be wall mounted ,or ceiling mounted or
free standing.

Frames  white  black  silver

Technical Data


Front Surface Temperature: 90-110°C

Energy Transfer Ratio: 98%

Materials: White carbon crystal heating film

Package: Individual PP bag + Individual inner box + Protection foam + Carton or pallet

check
www.enjoywarmheater.com
for MORE!




*wall mounted ,
or ceiling mounted or
free standing.*



Regular size

✱ Customized size accepted



SC Series



White or Customized image
0.5mm thick steel back plate.
Thickness for the complete panel is 2.15cm.
Can be wall mounted ,or ceiling mounted or
free standing.

Frames  white  black

Technical Data

Working Voltage: 220 -240volts, 50 Hz

Life span: 100000H

Front Surface Temperature: 90-110°C

Energy Transfer Ratio: 98%

Cable: 3M with VDE certificate

Materials: White carbon crystal heating film


Protection : Inner temperature control device protects again over heating

Package: Individual PP bag + Individual inner box+Protection foam+ Carton
or pallet

check
www.enjoywarmheater.com
for MORE!




wall mounted ,
or ceiling mounted or
free standing.



Regular size

✱ Customized size accepted



NF Series




White or black surface
1mm thick aluminum back plate.
Thickness for the complete panel is 1.4cm.
Can be wall mounted ,or ceiling mounted or free standing.


Technical Data

Working Voltage: 220 -240volts, 50 Hz	Life span: 100000H
Front Surface Temperature: 90-110℃	Energy Transfer Ratio: 98%
Cable: 3M with VDE certificate	
Materials: White carbon crystal heating film	
Protection : Inner temperature control device protects again over heating	
Package: Individual PP bag + Individual inner box+Protection foam+Carton or pallet	

check
www.enjoywarmheater.com
for MORE!



*wall mounted ,
ceiling mounted or
free standing.*



Regular size

✱ Customized size accepted



BR Series & BF Series



Round


Dry
Decorative
Warm Heating
Nice looking, decoration
Thin and Flat, saving space

Colour :



Rectangle

check
www.enjoywarmheater.com
for MORE!



Technical Data

Working Voltage: 220 -240volts, 50 Hz

Life span: 100000H

Front Surface Temperature: 90-110°C


Energy Transfer Ratio: 98%

Cable: 3M with VDE certificate

Materials: Carbon crystal heating element / Glass surface

Protection : Inner temperature control device protects again over heating

Package: Individual PP bag + Individual inner box+Protection foam+ Carton or pallet



Used in the bathroom

A towel rack added in front of the mirror heater ,so to keep your towels dry and warm.



Regular size



JR Series & JF Series




Dry
Dressing
Decorative
Warm Heating
Nice looking, decoration
Thin and Flat, saving space

Technical Data


Working Voltage: 220 -240volts, 50 Hz	Life span: 100000H
Front Surface Temperature: 90-110℃	Energy Transfer Ratio: 98%
Cable: 3M with VDE certificate	
Materials: Carbon crystal heating element / Mirror surface	
Protection : Inner temperature control device protects again over heating	
Package: Individual PP bag + Individual inner box+Protection foam+ Carton or pallet	

check
www.enjoywarmheater.com
for MORE!




Used in the bathroom

A towel rack added in front of the mirror heater ,so to keep your towels dry and warm.




Regular size






Model:F-UF-012



Model	Wattge (±10%)	Weight (kg)	Size (MM)	Frame
				Gray
F-UF-012	120W	1.8	605*1005*21	•




Model:F-UF-015



Model	Wattge (±5%)	Weight (KG)	Size (MM)	Frame
				Gray
F-UF-015	150W	1.5	605*1005*21	•



Model:F-UF-L2



Model	Wattge (±5%)	Weight (KG)	Size (MM)	Frame
				Gray
F-UF-L2	50W	0.7	245*1005*24	•

Thermostat 13-16A



EU



UK



EU



EU

Aluminum stand feet



size: 230*110*28



colour: black



silver



white



Towel beam



Length: 36cm AND 23cm



Hardware for ceiling mounted panel

